



DNTN TRUNG HIEU

1955

MCCB MCB BẢO HÀNH 5 NĂM

BẢNG GIÁ
01.06.2013

▼ MCCB (Áptomat) 3Pha IEC60947-2 / CNS 14816-2 Standards

Mã Hàng Code	Ampere rating In (A)	IEC	CNS	VND
BM-30CN 3P	5 .10 .15 .20 .30A	1.5	1.5	420,000
BM-50CN 3P	40 .50A	2.5	2.5	520,000
BM-100MN 3P	15 .20 .30 .40 .50A	7.5	10	560,000
	60 .75 .100A			650,000
BM-100SN 3P	15 .20 .30 .40 .50A	15	18	590,000
	60 .75 .100A			680,000
BM-100HN 3P	15 ~ 100A	30	35	1,150,000
BM-100H 3P	15 ~ 100A	50	60	2,450,000
BM-125SN 3P	125A	22	25	1,250,000
BM-250CN 3P	125 ~ 250A	22	25	1,400,000
BM-250SN 3P	(0.8 ~ 1*In)	30	35	1,500,000
BM-250HB 3P	125 ~ 250A	50	60	3,500,000
BM-400CN 3P		25	30	3,600,000
BM-400SN 3P	250 .300 .350 .400A	35	40	3,750,000
BM-400HN 3P		50	60	4,500,000
BM-630SN 3P	500 .630A	35	40	7,800,000
BM-630HN 3P		50	60	10,000,000
BM-800CN 3P	700 .800A	35	40	8,800,000
BM-800SN 3P		50	60	11,000,000
BM-1000HS 3P	1000A			23,500,000
BM-1200HS 3P	1200A	100	120	25,600,000
BM-1600HS 3P	1600A			48,600,000

▼ CB CHỐNG GIẬT (RCBO) IEC60947-2 Chính Dòng 30 -100 -500mA 0.1Sec

Mã Hàng	Ampere rating In (A)	kA	VND
BL-100SN 3P	15 .20 .30 .40 .50A	15	1,450,000
	60 .75 .100A		1,550,000
BL-160SN 3P	125 .140 .160A	30	2,900,000
BL-250SN 3P	175 .200 .225 .250A	30	2,950,000
BL-400SN 3P	250 .300 .350 .400A	35	6,900,000
BL-630HN 3P	500 .630A	50	10,000,000
BL-100SN 4P	15 ~ 100A	15	2,650,000
		25	3,000,000
BL-160SN 4P	125 .140 .160A	30	5,200,000
BL-250SN 4P	175 .200 .225 .250A	35	10,300,000
BL-400SN 4P	250 .300 .350 .400A	35	10,300,000
BL-630HN 4P	500 .630A	50	16,500,000

▼ CB CHỐNG GIẬT (RCBO) IEC60947-2 30mA 0,1Sec

Mã Hàng	Ampere rating In (A)	kA	VND
BHL1P+N	6 .10 .16 .20A	6	265,000
	25 .32A		275,000
BHL 2P	6 .10 .16 .20 .25 .32A	6	500,000
	40 .50 .63A		510,000
BHL 3P	6 .10 .16 .20 .25 .32A	6	650,000
	40 .50 .63A		750,000
BHL 4P	6 .10 .16 .20 .25 .32A	6	780,000
	40 .50 .63A		955,000

▼ CB CHỐNG GIẬT (RCBO) CNS 14816-2 30mA 0,1Sec

Mã Hàng	Ampere rating In (A)	kA	VND
NVB-50L 2P		5	560,000
NVB-50UL 1P	15, 20, 30, 40, 50A	5	470,000
NVB-50UL 2P		10	780,000
NV - BF 2P	15, 20, 30A	1.5	220,000

▼ CB CHỐNG GIẬT (RCCB) CNS 14816-2 30mA 0,1Sec

Mã Hàng	Ampere rating In (A)	kA	VND
BL-KF 2P	15, 20, 30A	1.5	300,000
BL-K30F 3P			430,000

▼ MCCB (Áptomat) 2Pha IEC60947-2 Standards

Mã Hàng Code	Ampere rating In (A)	kA	VND
BM-30CN 2P	5 .10 .15 .20 .30A	2.5	320,000
BM-50CN 2P	40 .50A	5	495,000
BM-100MN 2P	15 .20 .30 .40 .50A	15	560,000
	60 .75 .100A		600,000
BM-100SN 2P	15 ~ 100A	25	670,000
BM-250SN 2P	125 ~ 250A	30	1,250,000

▼ MCB (CB Tép) IEC60898 Standards_Màu Trắng

Mã Hàng	Ampere rating In (A)	kA	VND
BHA 1P	6 .10 .16 .20 .25 .32 .40A	6	60,000
	50 .63A		65,000
BHA 2P	6 .10 .16 .20 .25 .32 .40A	6	133,000
	50 .63A		135,000
BHA 3P	6 .10 .16 .20 .25 .32 .40A	6	210,000
	50 .63A		218,000

▼ MCB (CB Tép) IEC60898 Standards_Màu Trắng

Mã Hàng	Ampere rating In (A)	kA	VND
BHA 1P			165,000
BHA 2P	80 .100A	10	380,000
BHA 3P			620,000
BHA 4P			780,000

▼ MCB (CB Tép) CNS 14816-2 Standards_Màu Đen

Mã Hàng	Ampere rating In (A)	kA	VND
BP 1P	15 .20 .30 .40 .50A	5	85,000
	60 .75 .100A		155,000
BP 2P	15 .20 .30 .40 .50A	5	175,000
	60 .75 .100A		305,000
BP 3P	15 .20 .30 .40 .50A	5	300,000
	60 .75 .100A		540,000

▼ MCB (CB Tép) CNS 14816-2 Standards_Màu Đen

Mã Hàng	Ampere rating In (A)	kA	VND
BPH 1P	15 .20 .30 .40 .50A		130,000
BPH 2P	15 .20 .30 .40 .50A	10	225,000
BPH 3P	60 .75 .100A	10	390,000
	15 .20 .30 .40 .50A		440,000
	60 .75 .100A		760,000

▼ PHỤ KIỆN MCCB

Mã Hàng	SHT	UVT	AUX
BM-50CN /100MN.SN	560,000	1,100,000	300,000
BM-100HN/125SN	600,000	1,200,000	380,000
BM-250CN.SN	790,000	1,450,000	460,000
BM-400CN.SN.HN	850,000	1,600,000	720,000
BM-630/800CN.SN	1,200,000	1,940,000	880,000
BM-1000/1200/1600 HS	2,080,000	3,850,000	1,350,000

▼ MCCB (Áptomat) 3Pha IEC60947-2 (Chính Dòng 0.8~1* In)

Mã Hàng	Ampere rating In (A)	kA	VND
BM-100HBN 3P	15 .20 .30 .40 .50 60 .75 .100A	36	2,000,000

▼ MCCB (Áptomat) 3Pha IEC60947-2 (Chính Dòng Điện Tử 0.4~1* In)




Mã Hàng	Ampere rating In (A)	kA	VND
BM-400HE 3P	300 .400A	50	13,400,000
BM-630RE 3P	500 .630A		15,000,000
BM-800HE 3P	800A	70	18,500,000
BM-1000HE 3P	1000A		27,500,000
BM-1250HE 3P	1250A		29,800,000

-GHI CHÚ: Giá chưa bao gồm thuế VAT 10%



PAGE 1


▼ KHỞI ĐỘNG TỪ

Mã Hàng	IEC 60947- 4- 1			TIẾP ĐIỂM	VND
	KW	HP	AC3		
 S-P 09	4	5.5	10	1a	220,000
S-P 11	5.5	7.5	12		240,000
S-P 12					270,000
 S-P 16	7.5	10	16	1a1b	380,000
S-P 21A	11	15	24		480,000
 S-P 35T	15	20	35	2a2b	700,000
S-P 40T	22	30	44		820,000
S-P 50T	30	40	58		880,000
S-P 60T	37	50	68		970,000
S-P 80 T	40	54	80		1,500,000
S-P 100 T	60	80	105		1,900,000
S-P 125 T	75	100	135		2,400,000
S-P 150 T	90	125	165		2,600,000
S-P 220 T	120	150	225		4,200,000
S-P 300 T	160	220	300		8,800,000
S-P 400 T	220	300	400	9,250,000	
RC-11C					780,000



▼ Re-relay Nhiệt

Mã Hàng	Dây điều chỉnh nhiệt (A)	VND
TH-P 12S	0.25 ; 0.4 ; 0.6 ; 0.9 ; 1.2 ; 1.7A 2.1 ; 3.3 ; 4.4 ; 6.5 ; 9 ; 11;15A	180,000
TH-P 20S	9 (7~11);11(9~13)A	235,000
TH-P 20TAS	15 (12~18) ; 21 (17~24) A	250,000
TH-P 60S	28 (22~34) ; 33 (28~38) A	350,000
TH-P 60TAS	33 (28~38) ; 40 (32~48) A 54 (43~65) A	560,000
TH-P 120TA	67 (54~80) A 80 (60~100) A 80 (60~100); 105 (80~130)A	770,000
TH-P 220CT	130 (100~160) ; 160 (120~200)A	2,000,000
TH-P 400CT	200 (150~250)A 260 (200~320)A 350 (260~440)A	2,950,000


▼ Khởi động từ hộp

Mã Hàng	3P 220V		3P 380V		Re-relay Nhiệt	VND		
	KW	HP	KW	HP				
 MS-P 11 PBS	0.2	1/4	0.4	1/2	1.2 (0.9~1.5)A	540,000		
	0.3	2/5	0.75	1	1.7 (1.3~2.1)A			
	0.4	1/2	1.1	1.5	2.1(1.6~2.6)A			
	0.75	1	1.5	2	3.3(2.5~4.1)A			
	1.1	1.5	2.2	3	4.4(3.4~5.4)A			
	1.5	2	3	4	6.5(5~8) A			
	2.2	3	3.7	5.5	9 (7~11)A			
	3	4	5.5	7.5	11(9~13)A			
	MS-P 16 PBS	3.7	5	7.5	10		15(12~18)A	660,000
	MS-P 21 PBS	5.5	7.5	12	15		21(17~24)A	720,000
MS-P 35 PBS	7.5	10	15	20	28(22~34)A	1,270,000		
MS-P 40 PBS	11	15	22	30	40(32~48)A	1,350,000		


▼ Cuộn coil Contactor

Mã Hàng	24 .48 .110 .220 .380V	VND
	Coil for S-P11 /12 /16 /21AS	95,000
	Coil for S-P35 /40TS	140,000
	Coil for S-P50 /60 /80T	175,000
	Coil for S-P100T	400,000
	Coil for S-P125 /150T	760,000
	Coil for S-P220T	900,000
	Coil for S-P300 /400T	4,500,000


▼ Tiếp điểm phụ (S-P11S --> S-P-21AS)

	AP-11S	1a1b (1NO+1NC)	60,000
	APS-11S	1a1b (1NO+1NC)	65,000
	AP-22S	2a2b (2NO+2NC)	115,000


▼ Khóa liên động

	MPU-11	For S-2xP11,35,40,50,60T	85,000
	MPU-21	For S-2xP12,16,21,25T	90,000
	MPU-50	For S-2xP 80T	168,000
	MPU-125	For S-2xP125~220T	308,000




▼ Nút nhấn (PUSH BUTTON)

	PB-2	250/3A MAX 600V	63,000
	PB-3		120,000

▼ BIẾN TẦN 220V , Inverter

Mã Hàng	KW	KVA	HP	Input	USD	Mã Hàng	KW	KVA	HP	Input	USD
▼ SS(2) series ~ Tải đơn giản						▼ SE 2 series ~ Tải trung bình					
	SS(2)-021-0.75KD	0.75	1.5	1	220	SE2-023-5.5KDL	5.5	9.2	7.5	3Ø 220V	670
	SS(2)-021-1.5KD	1.5	2.5	2	255	SE2-023-7.5KDL	7.5	12.6	10	3Ø 220V	850
	SS(2)-021-2.2KD	2.2	4.2	3	350	▼ SH series ~ Tải nặng					
	SS(2)-023-3.7KD	3.7	7	5	415	SH-020-11KBC	11	17.6	15	3Ø 220V	1,000
						SH-020-15KBC	15	23.3	20	3Ø 220V	1,280

▼ BIẾN TẦN 380V , Inverter

Mã Hàng	KW	KVA	HP	Input	USD	Mã Hàng	KW	KVA	HP	Input	USD
▼ SS series ~ Tải đơn giản						▼ SF series ~ Tải Bơm & Quạt					
	SS(2)-043-0.75KD	0.75	2	1	260	SF-040-5.5KA	5.5	10	7.5	3Ø 380V	590
	SS(2)-043-1.5KD	1.5	3	2	300	SF-040-7.5KA	7.5	14	10		720
	SS(2)-043-2.2KD	2.2	4.6	3	330	SF-040-11KA	11	18	15		830
	SS(2)-043-3.7KD	3.7	6.9	5	400	SF-040-15KA	15	25	20		970
	SS(2)043 - 5.5KD	5.5	10	7.5	560	SF-040-18.5KA	18.5	29	29		1,200
	SE2-043 - 0.4KDL	0.4	1.2	0.5	300	SF-040-22KA	22	34	30		1,700
	SE2-043-0.75KDL	0.75	2	1	310	SF-040-30KA	30	46	40		1,920
	SE2-043 - 1.5KDL	1.5	3	2	340	SF-040-37KA	37	56	50		2,500
	SE2-043 - 2.2KDL	2.2	4.6	3	370	SF-040-45KA	45	69	60		2,730
	SE2-043 - 3.7KDL	3.7	6.9	5	470	SF-040-55KA	55	84	75		3,180
	SE2-043 - 5.5KDL	5.5	9.1	7.5	670	SF-040-75KA	75	114	100	4,480	
	SE2-043 - 7.5KDL	7.5	13	10	770	SF-040 - 90KA	90	137	120	5,930	
	SE2-043 - 11KDL	11	18	15	1,020	SF-040 - 110KA	110	168	150	7,350	
						SF-040 - 132KA	132	196	175	9,130	
						SF-040 - 160KA	160	236	215	9,900	

--GHI CHÚ: Giá chưa bao gồm thuế VAT 10%



DNTN TRUNG HIẾU

▼ **ATS Loại MCCB-Giá đã bao gồm bảng điều khiển IEC60947-2**

Mã Hàng Code	Ampere rating In (A)	kA	VND	Mã Hàng Code	Ampere rating In (A)	kA	VND
BS100SN 3P	100A	15	11,000,000	BS100SN 4P	100A	15	14,000,000
BS100HN 3P			13,500,000	BS100HN 4P			15,600,000
BS250SN 3P	125.150.175.200.225A	30	15,800,000	BS250SN 4P	125.150.175.200.225A	30	19,000,000
	250A		21,500,000		250A		25,600,000
BS400SN 3P		35	26,700,000	BS400SN 4P		35	33,500,000
BS400HN 3P	250.300.350.400A	50	27,000,000	BS400HN 4P	250.300.350.400A	50	34,200,000
BS630SN 3P		35	40,000,000	BS630SN 4P		35	48,500,000
BS630HN 3P	500.600.630 A	50	47,000,000	BS630HN 4P	500.600.630A	50	60,500,000
BS800SN 3P	700.800A		52,000,000	BS800SN 4P	700.800A		62,000,000
BS1000HS 3P	1000A		118,000,000				
BS1200HS 3P	1200A	100	130,000,000				
BS1600HS 3P	1600A		155,000,000				



▼ **ACB FIXED Bao gồm : MD,CC,SHT,AX5C**

Mã Hàng Code	Ampere rating In (A)	kA	VND	Mã Hàng Code	Ampere rating In (A)	kA	VND
BW 2000-H 3P	630A	85	44,000,000	BW 2000-H 4P	630A	85	51,000,000
	800A		48,000,000		800A		53,000,000
	1000A		48,500,000		1000A		55,000,000
	1250A		49,000,000		1250A		59,000,000
	1600A		51,000,000		1600A		61,000,000
BW 3200-H 3P	2000A	100	58,000,000	BW 3200-H 4P	2000A	100	68,000,000
	2500A		63,000,000		2500A		72,000,000
	3200A		74,000,000		3200A		88,000,000

▼ **The ACB DRAW OUT includes (D/O) Bao gồm : MD,CC,SHT,AX5C**

Mã Hàng Code	Ampere rating In (A)	kA	VND	Mã Hàng Code	Ampere rating In (A)	kA	VND
BW 2000-H 3P	630A	85	59,000,000	BW 2000-H 4P	630A	85	64,000,000
	800A		60,000,000		800A		65,000,000
	1000A		61,000,000		1000A		66,000,000
	1250A		62,000,000		1250A		67,000,000
	1600A		63,000,000		1600A		69,000,000
BW 3200-H 3P	2000A	100	72,000,000	BW 3200-H 4P	2000A	100	80,000,000
	2500A		75,000,000		2500A		90,000,000
	3200A		85,000,000		3200A		100,000,000
BW 4000-H 3P	4000A		165,000,000	BW 4000-H 4P	4000A		210,000,000
BW 6300-H 3P	5000A	130	170,000,000	BW 6300-H 4P	5000A	130	300,000,000
	6300A		305,000,000				

▼ **PHỤ KIỆN ACB**

	VND
UVT Bộ bảo vệ thấp áp delay 5 sec	8,400,000
Khóa liên động 2-way (dùng cho 2 ACB)	19,500,000
Bảng điều khiển dùng cho ATS	9,000,000

▼ **Đồng hồ đa năng : IEC 62053-22 RS - 485**

	VND
V, I, Kw, Kvar, KVA, Kwh, Kvarh, KVAh, COSθ, Hz, Demand	
SPM -3	6,000,000
SPM -8	9,000,000

▼ **Chống Sét Lan Truyền**

Mã Hàng Code	I _{max} (kA)	us	1P	2P (1P+N)	3P (2P+N)	4P (3P+N)	1P+PE	3P+PE
BHP-20	20	8/20	1,200,000	2,400,000	3,600,000	4,800,000	2,960,000	5,300,000
BHP-40	40		1,800,000	3,600,000	5,200,000	7,000,000	4,100,000	7,580,000
BHP-80	80		2,100,000	4,200,000	6,000,000	8,150,000	4,660,000	8,750,000
BHP-100	100	10/350	5,400,000	11,500,000	17,000,000	22,500,000	11,950,000	23,240,000
BHP-250	250		7,700,000	12,700,000	19,450,000	24,000,000	14,300,000	25,800,000
COUNTER-BỘ ĐẾM			3,600,000					

▼ **Tụ Bù Hạ Thế 440V, 3Φ, 50Hz**

Mã Hàng	DUNG LƯỢNG		W * H mm	GIÁ BÁN	
	kVar	A		VND/KVAR	VND/Pcs
SH-R440510T	10	13.1	86 * 245	78,000/KVAR	780,000
SH-R440515T	15	19.7	116 * 245	58,500/KVAR	877,500
SH-R440520T	20	26.2			1,170,000
SH-R440525T	25	32.8			1,462,500
SH-R440530T	30	39.4			1,755,000
SH-R440540T	40	52.5	136 * 290		2,340,000

▼ **Relay bảo vệ pha-mất pha : đảo pha 3P 220~440V**

	SLPR - 4S	990,000
--	-----------	---------

▼ **BỘ ĐIỀU KHIỂN TỰ BỤ - 12 CẤP - Harmonic**

	SH -JKWA -12J	8,000,000
--	---------------	-----------